

Newfoundland Labrador Hydro (NLH)

7-Day Island Peak Demand Forecast: 825 MW Saturday, September 08, 2018 13 10 810 Supply Notes For September 02, 2018 3 3 10 810 Notes: 1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available However, from time to time equipment outages are necessary and reserves may be impacted. 2. Due to the Island System having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedd necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the recustomer load interruptions are generally less than 30 minutes. 3. As of 0800 Hours. 4. 4. Gross output from all Island sources (including Note 4). 5. 5. Gross output from all Island sources (including Note 4). 6. 6. NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 7.						N // N /					
 Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available However, from time to time equipment outages are necessary and reserves may be impacted. Due to the Island System having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedd necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the recustomer load interruptions are generally less than 30 minutes. As of 0800 Hours. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW). Gross output from all Island sources (including Note 4). NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 	8	810	10	13	Saturday, September 08, 2018		825		Demand Forecast:	nd Pea	-Day Is
 Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available However, from time to time equipment outages are necessary and reserves may be impacted. Due to the Island System having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedd necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the recustomer load interruptions are generally less than 30 minutes. As of 0800 Hours. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW). Gross output from all Island sources (including Note 4). NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 								3	ntombor 02 2018	tos Eor	anly N
 system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. Due to the Island System having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedd necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the recustomer load interruptions are generally less than 30 minutes. As of 0800 Hours. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW). Gross output from all Island sources (including Note 4). NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 									<u>ptember 02, 2010</u>	LES FUI	
 system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. Due to the Island System having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedd necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the recustomer load interruptions are generally less than 30 minutes. As of 0800 Hours. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW). Gross output from all Island sources (including Note 4). NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 											
 system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted. Due to the Island System having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedd necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the recustomer load interruptions are generally less than 30 minutes. As of 0800 Hours. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW). Gross output from all Island sources (including Note 4). NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 	wer	ner supply. The po	impact custor	enerally do not	e not unusual for power system operations. They g	. These are	nance are included	g and corrective mainter	tion outages for running	. Gen	· e c ·
 However, from time to time equipment outages are necessary and reserves may be impacted. Due to the Island System having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedd necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the recustomer load interruptions are generally less than 30 minutes. As of 0800 Hours. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW). Gross output from all Island sources (including Note 4). NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 			•	•				-	-		
 Due to the Island System having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units some customer's load must be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedd necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the recustomer load interruptions are generally less than 30 minutes. As of 0800 Hours. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW). Gross output from all Island sources (including Note 4). NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 					•		•	• • • •	•	•	
 interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedd necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the recustomer load interruptions are generally less than 30 minutes. As of 0800 Hours. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW). Gross output from all Island sources (including Note 4). NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 		er's load must be	some custom	enerating units	-	-	•				
 necessary to ensure the integrity and reliability of system equipment. Under frequency events typically occur 5 to 8 times per year on the Island Interconnected System and the recustomer load interruptions are generally less than 30 minutes. 3. As of 0800 Hours. 4. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW). 5. Gross output from all Island sources (including Note 4). 6. NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 	J ic			-			-		•		
 customer load interruptions are generally less than 30 minutes. 3. As of 0800 Hours. 4. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW). 5. Gross output from all Island sources (including Note 4). 6. NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 			•	-			•		•		
 As of 0800 Hours. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW). Gross output from all Island sources (including Note 4). NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 	Itant	stern and the resu	siconnected by		they events typically occur 5 to 8 times per year or		• •				
 Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW). Gross output from all Island sources (including Note 4). NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 							minutes.	e generally less than 50			
 Gross output from all Island sources (including Note 4). NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable). 					draulic output due to water levels (25 MW)		5 MW) and improv	sorvice at Holyrood (24			
6. NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation, Vale capacity assistance (when applicable).					diadile odtput due to water levels (55 low).	Sumennyu	· · ·	• •			
			hla)	luchan annlian	an Laka Wind Constantion Vale constitutions	Dreak Cta			•		
			•	• • • •		-	•				
7. Aujusted for objer, vale and reason interruptione load, martime link and cabrador-island link exports and the impact of voltage reduction, when applicable.			Jicable.	tion, when app	Island Link exports and the impact of voltage redu	Labrador-Is	Maritime Link and	axair interruptible load,	d for CBPP, Vale and Pr	'. Adji	
7. Aujusted for eber, vale and riaxan interruptible load, Martine Link and Labrador-Island Link exports and the impact of voltage reduction, when applicable.			olicable.	tion, when app	Island Link exports and the impact of voltage redu	Labrador-Is	Maritime Link and	axair interruptible load,	ed for CBPP, Vale and Pr	'. Adju	

	Island Peak Demand Informatio Previous Day Actual Peak and Current Day	-	
Sat, Sep 01, 2018	Actual Island Peak Demand ⁸	10:20	710 MW
Sun, Sep 02, 2018	Forecast Island Peak Demand		745 MW