
# **Newfoundland Labrador Hydro (NLH)** Supply and Demand Status Report Filed Thursday, January 06, 2022

## Section 1 Island Interconnected System Supply, Demand & Exports Actual 24 Hour System Performance For Wednesday, January 05, 2022



Supply Notes For January 05, 2022

1,2

As of 0830 hours, November 12, 2021, Holyrood Unit 2 unavailable (170 MW).

At 0905 hours, January 05, 2022, Holyrood Unit 1 available at 90 MW (170 MW)

#### **Section 2**

**Island Interconnected Supply and Demand** 

Thu, Jan 06, 2022	Island System Outlook <sup>3</sup>			Seven-Day Forecast	Temperature (°C)		Island System Daily Peak Demand (MW)	
					Morning	Evening	Forecast	<b>Adjusted</b> <sup>7</sup>
Available Island System Supply: <sup>5</sup>		2,167	MW	Thursday, January 06, 2022	5	6	1,440	1,335
NLH Island Generation: <sup>4,8</sup>		1,445	MW	Friday, January 07, 2022	-4	-2	1,400	1,296
NLH Island Power Purchases: <sup>6</sup>		160	MW	Saturday, January 08, 2022	3	-3	1,450	1,345
Other Island Generation:		225	MW	Sunday, January 09, 2022	-9	-4	1,465	1,360
ML/LIL Imports:		337	MW	Monday, January 10, 2022	3	-1	1,430	1,325
Current St. John's Temperature & Windchill:	5 °C	N/A	°C	Tuesday, January 11, 2022	-6	-7	1,545	1,439
7-Day Island Peak Demand Forecast:		1,635	MW	Wednesday, January 12, 2022	-12	-14	1,635	1,528

### Supply Notes For January 06, 2022

Notes:

- Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. The power system operators schedule outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
- Due to the Island system having no synchronous connections to the larger North American grid, when there is a sudden loss of large generating units there may be a requirement for some customer's load to be interrupted for short periods to bring generation output equal to customer demand. This automatic action of power system protection, referred to as under frequency load shedding (UFLS), is necessary to ensure the integrity and reliability of system equipment. Under frequency events have typically occurred 5 to 8 times per year on the Island Interconnected System and the resultant customer load interruptions are generally less than 30 minutes. With the activation of the Maritime Link frequency controller during the winter of 2018, UFLS events have occurred less frequently.
- 3. As of 0800 Hours.
- 4. Gross output including station service at Holyrood (24.5 MW) and improved NLH hydraulic output due to water levels (35 MW).
- 5. Gross output from all Island sources (including Note 4).
- 6. NLH Island Power Purchases include: CBPP Co-Gen, Nalcor Exploits, Rattle Brook, Star Lake, Wind Generation and capacity assistance (when applicable).
- 7. Adjusted for curtailable load, market activities and the impact of voltage reduction when applicable.
- 8. Due to limitations inherent in the design of combustion turbines, the output of combustion turbines may be reduced in the event that ambient temperatures exceed the threshold required for full rated output. This threshold is dependent on the design of each turbine.

#### **Section 3 Island Peak Demand Information Previous Day Actual Peak and Current Day Forecast Peak** Wed, Jan 05, 2022 08:10 Actual Island Peak Demand<sup>9</sup> 1,682 MW Thu, Jan 06, 2022 Forecast Island Peak Demand 1,440 MW

Notes: 9. Island Demand / LIL / ML Exports (where applicable) is supplied by NLH generation and purchases, plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).