


Newfoundland Labrador Hydro (NLH) Supply and Demand Status Report Filed Tuesday, October 22, 2024

Section 1 Island Interconnected System - Supply, Demand & Exports Actual 24 Hour System Performance For Monday, October 21, 2024



Island Supply Notes For October 21, 2024 ¹

- A As of 1011 hours, April 12, 2024, Holyrood Unit 1 unavailable due to planned outage (170 MW).
- B As of 0946 hours, October 06, 2024, Upper Salmon Unit unavailable due to planned outage (84 MW).
- C As of 1950 hours, October 18, 2024, Labrador Island Link available at 450 MW due to forced derating (700 MW) - Bipole.

Section 2 Island Interconnected System - Supply, Demand & Outlook

Tue, Oct 22, 2024	Island System Outlook ²	Seven-Day Forecast	Island System Daily Peak Demand (MW)	
			Forecast ⁸	Adjusted ⁶
Island System Supply: ⁴	1,970 MW	Tuesday, October 22, 2024	965	915
NLH Island Generation: ^{3,7}	1,440 MW	Wednesday, October 23, 2024	965	915
NLH Island Power Purchases: ⁵	60 MW	Thursday, October 24, 2024	840	790
NP and CBPP Owned Generation:	205 MW	Friday, October 25, 2024	840	790
LIL/ML Net Imports to Island: ⁹	265 MW	Saturday, October 26, 2024	940	890
		Sunday, October 27, 2024	925	875
7-Day Island Peak Demand Forecast:	1,045 MW	Monday, October 28, 2024	1,045	995

Island Supply Notes For October 22, 2024

- Notes:
1. Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. Hydro schedules outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.
 2. As of 0800 Hours.
 3. Gross continuous unit output.
 4. Gross output from all Island sources (including Note 4).
 5. NLH Island Power Purchases include: ML Imports, Exploits Generation, Rattle Brook, Star Lake, Wind Generation and capacity assistance (when applicable).
 6. Adjusted for interruptible load and the impact of voltage reduction when applicable.
 7. Due to limitations inherent in the design of combustion turbines, the output of combustion turbines may be reduced in the event that ambient temperatures exceed the threshold required for full rated output. This threshold is dependent on the design of each turbine.
 8. Does not include ML Exports.
 9. LIL Import sunk in the Island System. Actual LIL flows will be restricted by various system conditions including, but not limited to, Island Load, ML Exports and Avalon Unit status.

Section 3 Island Peak Demand and Exports Information Previous Day Actual Peak and Current Day Forecast Peak

Mon, Oct 21, 2024	Island Peak Demand ¹⁰	19:15	842 MW
	Exports at Peak		162 MW
	LIL Net Imports to Island		5,308 MWh
Tue, Oct 22, 2024	Forecast Island Peak Demand		965 MW

- Notes: 10. Island Demand is supplied by NLH generation and purchases, LIL Imports plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).