


Newfoundland Labrador Hydro (NLH)

Supply and Demand Status Report Filed Monday, March 10, 2025 (Revised - May 8, 2025)



Island Supply Notes For March 09, 2025

A

As of 1348 hours, February 19, 2025, Holyrood Unit 1 available at 105 MW due to forced derating (170 MW).

B

As of 0200 hours, March 02, 2025, Holyrood Unit 3 available at 130 MW due to forced derating (150 MW).

Section 2

Island Interconnected System - Supply, Demand & Outlook

| Mon, Mar 10, 2025 | Island System Outlook ² | Seven-Day Forecast | Island System Daily Peak Demand (MW) | |
|--|--|---------------------------|--------------------------------------|-----------------------|
| | | | Forecast ⁸ | Adjusted ⁶ |
| Island System Supply: ⁴ NLH Island Generation: ^{3,7} NLH Island Power Purchases: ⁵ NP and CBPP Owned Generation: LIL/ML Net Imports to Island: ⁹ | 2,284 MW 1,610 MW 135 MW 215 MW 324 MW | Monday, March 10, 2025 | 1,415 | 1,309 |
| | | Tuesday, March 11, 2025 | 1,440 | 1,333 |
| | | Wednesday, March 12, 2025 | 1,415 | 1,309 |
| | | Thursday, March 13, 2025 | 1,405 | 1,299 |
| | | Friday, March 14, 2025 | 1,445 | 1,338 |
| | | Saturday, March 15, 2025 | 1,260 | 1,155 |
| 7-Day Island Peak Demand Forecast: | 1,445 MW | Sunday, March 16, 2025 | 1,145 | 1,042 |

Island Supply Notes For March 10, 2025

Notes:

1.

Generation outages for running and corrective maintenance are included. These are not unusual for power system operations. They generally do not impact customer supply. Hydro schedules outages to system equipment whenever possible to coincide with periods when customer demands are low and sufficient supply reserves are available. However, from time to time equipment outages are necessary and reserves may be impacted.

2.

As of 0800 Hours.

3.

Gross continuous unit output.

4.

Gross output from all Island sources (including Note 3).

5.

NLH Island Power Purchases include: ML Imports, Exploits Generation, Rattle Brook, Star Lake, Wind Generation and capacity assistance (when applicable).

6.

Adjusted for interruptible load and the impact of voltage reduction when applicable.

7.

Due to limitations inherent in the design of combustion turbines, the output of combustion turbines may be reduced in the event that ambient temperatures exceed the threshold required for full rated output. This threshold is dependent on the design of each turbine.

8.

Does not include ML Exports.

9.

LIL Import sunk in the Island System. Actual LIL flows will be restricted by various system conditions including, but not limited to, Island Load, ML Exports and Avalon Unit status.

Section 3

Island Peak Demand and Exports Information

Previous Day Actual Peak and Current Day Forecast Peak

| | | | |
|-------------------|----------------------------------|-------|-----------|
| Sun, Mar 09, 2025 | Island Peak Demand ¹⁰ | 20:55 | 1,248 MW |
| | Exports at Peak | | 162 MW |
| | LIL Net Imports to Island | | 2,250 MWh |
| Mon, Mar 10, 2025 | Forecast Island Peak Demand | | 1,415 MW |

Notes:

10.

Island Demand is supplied by NLH generation and purchases, LIL Imports plus generation owned and operated by Newfoundland Power and Corner Brook Pulp & Paper (Deer Lake Power, DLP).